

***Air*MARK™**





Rugged Design
Professional Quality
Proven Performance
Economically Priced

The Profitable Source for Finishing Products

Gfp 200 Series

Professional Cold Laminators

The Gfp 200 Series laminators are the affordable alternative to time-consuming hand finishing with rollers and squeegees. Now even the smallest shops can compete for bigger jobs with confidence. The 200 Series will shorten production time, increase profitability and produce consistently professional results.

200 Series

ENTRY LEVEL PRICED

Designed for small shop operations

SIMPLE TO OPERATE

Labor saving features

FEATURE-RICH

Produces professional results

RUGGED DESIGN

Years of maintenance-free service

COMPLETE MOBILITY

Moves on stand with casters



overlamination • mounting • board pre-coating

Easy set-up & low maintenance make them a hit with new users.

Quality results keep customers coming back.
Performance rivals systems costing thousands more.



- Labor saving Quick-Grip aluminum film shafts for easy loading (255C)
- Variable roller gap to 1" (255C)
- Single pressure adjustment
- 2.5" and 4.5" diameter rollers
- Chain drive rewind
- 38" output height (255C)



230C, 30" width for short run mounting, laminating and pre-mask



255C, 55" width with essential features for professional results

APPLICATIONS

Signs
Posters
POP Displays
Trade show displays
Single side lamination
Graphic mounting
Photo mounting
Floor graphics
Colored Vinyl
Pre-mask

cTUVus
Safety
Approval



Warranty:

1 year parts & labor.
Installation is available.

230C

255C

<i>Laminating Width</i>	30"	55"
<i>Roller Diameter</i>	2.5"	4.5"
<i>Maximum Speed (feet/minute)</i>	11.5 ft/min	13 ft/min
<i>Main rollers</i>	Silicone	Rubber
<i>Roller Gap</i>	1/2"	1"
<i>Pressure/Gap Adjustment</i>	Infinite	
<i>Pressure/Gap Mechanism</i>	Hand Wheel	
<i>Unwinds</i>	Top/Bottom	
<i>Liner Rewind</i>	Direct Drive	ChainDrive
<i>Supply Shaft</i>	1" Shaft/Adaptors	3" Quick-Grip
<i>Tension Adjustment</i>	Dual Brakes	Single knob
<i>Power Supply</i>	120v 0.3A	120v 0.4A
<i>Power Consumption</i>	36W	48W
<i>Foot Pedal</i>	Included	
<i>Stand with casters</i>	Included	
<i>Net Weight w/ stand</i>	117 lbs.	287 lbs.
<i>Dimensions</i>	43" x 16.5" x 42"	73" x 24" x 55"
<i>Shipping Dimensions</i>	161 lbs. 48.5" x 21" x 23"	380 lbs. 77.5" x 25" x 27"

Your local dealer is:



www.AirMark.com

Superior Customer Support & Product Reliability

Toll-free (800) 527-7778

AirMark Corporation
10001 Lake City Way NE
Seattle, WA 98125