

***Air*MAR*K***<sup>TM</sup>





Rugged Design  
Professional Quality  
Proven Performance  
Economically Priced

## The Profitable Source for Finishing Products

### Gfp 44TH

#### Top Heat Laminator and Board Mounter

For producing signs and displays, it's hard to beat the ease and affordability of the Gfp 44 Laminator and Board Mounter. Its 44" width is ideal for POP, trade show displays, and graphic mounting. Top roller heating allows mounting and overlaminating in a single pass.

### Gfp 44TH

#### AFFORDABLY PRICED

*Low cost for short run applications*

#### SIMPLE TO OPERATE

*LED displays and presets*

#### FLEXIBLE

*Mount, Laminate, Pre-coat*

#### TOP HEATER

*Laminate and mount in one pass*

#### SMALL FOOTPRINT

*Rolls away when not in use*




***laminating • mounting • board pre-coating***

***Laminate and mount in a single pass.***

Mount and laminate with Pouch boards; apply printed adhesive-back vinyl directly to mounting boards; or apply PSA films, pre-mask tapes, and adhesives to any surface. The Gfp 44 produces consistent professional results every time.



- Labor saving Quick-Grip film shafts
- Photoelectric eye for safety
- Fold-down rear exit tray
- 5-position pressure adjustment
- 3.5" diameter rollers
- Chain drive rewind
- Sleep & Auto-Off Energy Saver
- 32.5" output height
- Bottom Media Unwind Bracket



Mount from rolls  
to boards



Mount images to  
create signs

## APPLICATIONS

Signs  
Posters  
POP Displays  
Trade show displays  
Single side lamination  
Graphic mounting  
Photo mounting  
Floor graphics  
Window graphics  
Colored Vinyl  
Pre-mask  
Mounting boards  
Pouch boards  
PSA film

cTUVus  
Safety  
Approval




## Warranty:

1 year parts & labor.  
Installation is available.

## Gfp 44TH

<i>Laminating Width</i>	44"
<i>Roller Diameter</i>	3.5"
<i>Speed (feet/minute)</i>	0-5 ft/min
<i>Main Rollers</i>	Silicon rubber
<i>Roller Gap</i>	1/4"
<i>Pressure/Gap Adjustment</i>	5 presets
<i>Energy Saver Sleep &amp; Auto-Off</i>	Included
<i>Max. Temperature</i>	302°F (LED display)
<i>Heating Method</i>	Quartz heater
<i>Supply Unwind</i>	Quick-Grip Top
<i>Liner Rewind</i>	Quick-Grip Top
<i>Tension Adjustment</i>	Single knob
<i>Power Supply</i>	120v 12A
<i>Power Consumption</i>	1440 W
<i>Foot Pedal</i>	Included
<i>Stand w/ Casters</i>	Included
<i>Net Weight w/ Stand</i>	205 lbs.
<i>Dimensions</i>	57" x 18" x 51.5"
<i>Shipping Weight/Dimensions</i>	323 lbs. / 60" x 24" x 34"

Your local dealer is:



**[www.AirMark.com](http://www.AirMark.com)**

**Superior Customer Support & Product Reliability**

**Toll-free (800) 527-7778**

**AirMark Corporation**  
10001 Lake City Way NE  
Seattle, WA 98125